

PRO SERIES

ENFORCER

HEAVY DUTY NO RINSE STRIPPER

SEPARADOR DEL PISO

Technical Data

Areas of Use

- Vinyl Tile
- Terrazzo
- Ceramic Tile
- Flagstone

Specifications

SSS Item Numbers	48109
Available Sizes	2.5G
Active Ingredients	50.0 ± 0.5%
Color	Clear
Fragrance	Sassafras
рН	13.0 - 13.5
Viscosity	
Foam	Low
Abrasives	None
Phosphate Content	None
Solubility	Complete with water
Emulsification	Excellent
Detergency	Excellent
Rinsability	Excellent
Flash Point	145F (TCC)
Biodegradability	Complete
Storage/Stability	2 years
Weight Per Gallon	8.27 lbs./gal.
Freeze/Thaw Stability	Keep from freezing

HMIS Hazardous Materials I.D. System

Health	3
Flammability	2
Reactivity	0
Personal Protection	D

What the Pros Know

When stripping a floor, it is recommended to flood the floor using 1 gallon of diluted stripper for 100 square feet of flooring.

Description

The most effective floor finish emulsifier ever developed. Will solubilize aged and built-up finishes almost instantly. May be used as a noscrub stripper or with a conventional floor machine and pad depending on the concentration of the product and the condition of the floor.

Directions

Wear safety equipment recommended on MSDS, place Wet Floor Signs and read all directions and cautions prior to beginning your work.





- 1. Sweep or dust mop the floor to remove any debris.
- 2. Dilute Low Odor Floor Finish Remover from 1:2 to 1:11 (43oz. to 11oz./gal) with cold or warm water, depending on age and build-up of finish. Do not use hot water.
- 3. Apply liberally with a mop to an area small enough so as not to allow the product to dry. Be sure to completely cover floor to baseboards.
- 4. After 3 to 5 minutes, agitate the wet section with a mop or machine scrub. Pick up solution using a mop, wet vac or automatic scrubber.
- 5. Rinse thoroughly with clear water to remove residue as necessary.



No Neutralizer Required

Dissolves Finish Instantly

Economical to Use





N/A=Not Applicable Prepared by: Regulatory Affairs Dept. Effective Date: 1/09 Revision: n/a (Prepared According to 29 CFR 1910.1200)

SECTION 1-PRODUCT IDENTIFICATION AND SUPPLIER INFORMATION

Product Name: Enforcer Generic Name: Floor Stripper

Chemical Family: Solvent Detergent Blend

Formula: Proprietary

Triple S Product Number: 48109

Manufactured For: Triple S

Address: 2 Executive Park Drive Billerica, MA 01862

Phone #: 800-323-2251

SECTION 2-INGREDIENT INFORMATION							
CHEMICAL NAME	CAS NO.	WT. %	PEL	TWA-TLV	STEL-TLV		
Water	7732-18-5	to 100					
2-Butoxyethanol	111-76-2	40 to 50	25 ppm	25 ppm	N/A		
Ethanolamine	141-43-5	0 to 5	N/A	$8mg/M^3$	N/A		
Potassium Hydroxide	1310-58-3	0 to 5	N/A	C2mg/M ³	N/A		
Nonionic Surfactant	9016-45-9	0 to 5		-			
Potassium Fluoroalkyl Carboxylate (C8)	2991-51-7	0 to 5					
Perfume Oils	N/A	< 1					

SECTION 3-PHYSICAL DATA

Boiling Point (°F): 210 F. Specific Gravity: .994 Vapor Density (Air=1): >1 Vapor Pressure: 20mm Hg @ 68 F.

% Volatile: 96+ pH: 13.0-13.5

Solubility in Water: Complete Evaporation Rate (Water=1): <1

Physical Description: Thin liquid with characteristic odor.

SECTION 4-FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 145 F. (TCC)

Lower Explosion Limit: 1.1 **Upper Explosion Limit:** 10.6 Extinguishing Media: Alcohol foam, water fog, CO₂ or dry chemical. Special Firefighting Procedures: Wear self-contained breathing apparatus for confined areas. Keep fire exposed containers cool with water spray.

Unusual Fire and Explosion Hazards: Vapors heavier than air.

SECTION 5-REACTIVITY DATA

Stability: Stable Hazardous Polymerization: None

Incompatibility (Materials to Avoid): Strong acids. Hazards Decomposition Products: Alkaline vapors in a fire.

SECTION 6-STORAGE AND HANDLING INFORMATION

WARNING: Severe eye and skin irritant. Avoid contact with eyes, skin and clothing. Wear protective eyewear, gloves and footwear when handling. Avoid breathing of vapors. Combustible liquid- Avoid contact with heat, spark or open flame. Keep out of reach of children. For use by trained personnel only. Keep unauthorized personnel away when applying to floor. Keep container closed during storage. For institutional and industrial use only. Use in well-ventilated area only.

SECTION 7-HEALTH HAZARDS AND FIRST AID

Effects of Overexposure:

Skin: Severe skin irritant. May cause moderate reddening, swelling, and possible skin damage.

Eyes: Severe eye irritant. Liquid and mists may damage eyes, causing corneal damage.

Inhalation: Vapors and mists may be irritating to mucous membranes in the nose, throat, and lungs.

Ingestion: Irritating and corrosive to the mouth and throat. May cause headache, nausea, abdominal pain, vomiting, and diarrhea. Excessive amounts may cause collapse.

First Aid Procedures:

Skin: Flush with water. Seek medical attention if irritation persists.

Eyes: Contact damage is immediate. Immediately flush with large quantities of water, holding eyelids open. Seek medical attention immediately.

Inhalation: Get to fresh air. Seek medical attention if irritation persists.

Ingestion: Do not induce vomiting. Drink large quantities of water. Seek medical attention immediately.

SECTION 8-SPECIAL PROTECTION INFORMATION

Respiratory Protection: Use NIOSH approved organic vapor respirator or selfcontained breathing apparatus in confined or poorly ventilated areas.

Ventilation Requirements: Provide mechanical exhaust to keep TLV of Section 2 ingredients below acceptable limits.

Protective Gloves: Chemical resistant rubber or neoprene. Eye Protection: Chemical splash goggles or full-face shield.

Other Protective Equipment: Eye wash station nearby. Protective outerwear and rubber boots should be worn when using.

SECTION 9-SPILL OR LEAK PROCEDURES

Steps to be taken in Case Material is Released or Spilled: Floors will become slippery. Avoid walking in product. Keep unessential personnel away. Mop up or otherwise absorb and hold disposal. Avoid discharge to sewer or open waterways.

Waste Disposal Method: Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. If discarded, this material and containers should be treated as hazardous waste based on the characteristic of corrosivity and ignitability as defined under federal RCRA regulations (40 CFR 261). Consult local authorities for disposal in public sewer. Do not dispose of into storm drain, stream, river or to ground. Rinse container thoroughly before discarding in trash.

SECTION 10-REGULATORY INFORMATION

SARA Title III - Section 311/312 - Hazard Categories:

No - Fire Hazard

No - Sudden Release of Pressure Hazard

No - Reactivity Hazard

Yes - Immediate (acute) Health Hazard Yes - Delayed (chronic) Health Hazard

Shipping Information:

FOR CONTAINERS > 1 Gallon: Compounds, cleaning liquid,

(Potassium Hydroxide), 8, NA-1760, PG III FOR 1 GALLON CONTAINERS: Compounds, cleaning liquid,

(Potassium Hydroxide), 8, NA-1760, PG III (Limited Quantity)

FOR CONTAINERS < 1 GALLON: ORM-D

HMIS Hazardous Materials

Identification System

Health	3
Flammability	2
Reactivity	0
Personal Protection	D

FOR EMERGENCY MEDICAL OR TRANSPORT INFORMATION: ER# 1-888-779-1339

This product contains the following toxic chemical(s) subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

CAS# **Chemical Name** Percent by Weight 111-76-2 Glycol Ether 46%

This product contains the following chemical(s) which have been established to be either a carcinogen or suspected carcinogen.

CAS# **Chemical Name** Percent by Weight

SECTION 11-OTHER INFORMATION

This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of our products either alone or in combination with other products. It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. This company will accept no liability for damages or loss incurred from the improper handling and use of this product