



TEAM PLEASCENT CLEAN

# PLEASCENT NEUTRA SHINE

DISINFECTANT, MILDEWSTAT, FUNGICIDE, VIRUCIDE\*

Effective against SARS-CoV-2 (COVID-19 Virus) on hard, non-porous surfaces.

#### ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride .....2.54%  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)

Dimethyl Benzyl Ammonium Chloride.....1.69%

OTHER INGREDIENTS: .....95.77%

TOTAL:.....100.00%

KEEP OUT OF REACH  
OF CHILDREN  
DANGER PELIGRO

See back panel of label  
for additional precautionary statements.

#### FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

FOR MEDICAL EMERGENCIES, CALL 1-888-779-1339  
www.triple-s.com

NET CONTENTS: 1 U.S. GALLON (3.79 Liters)

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER.** Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Wear goggles or face shield and chemical resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

##### ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters and shrimp.

This product is for use on hard, non-porous surfaces in Hospitals, medical and dental offices and clinics, healthcare facilities, nursing homes, kindergartens, restaurants and bars, kitchens, cafeterias, fast food operations, supermarkets, convenience stores, retail and wholesale establishments, institutional facilities, laboratories, businesses, office buildings, public restrooms, hotels, motels, workstations, schools, colleges, churches, athletic facilities, locker rooms, exercise facilities, and gymnasiums. This product is formulated for use on hard, non-porous surfaces such as: Counters, sinks bathroom/kitchen, shower doors and non-porous curtains, bathtubs and glazed tiles, toilets, urinals, sealed floors, walls, ceilings, tables, chairs, desks, washable walls, cabinets, doorknobs and garbage cans/pails, chrome and vinyl, painted surfaces, plastic, glazed ceramic, glazed porcelain, plated or stainless steel, aluminum, laminated surfaces and enameled surfaces. Non-dulling formula eliminates the time and labor normally required for rinsing floors.

**DISINFECTION PERFORMANCE:** This product kills the following bacteria in 10 minutes at 2 oz. per gal. of 400 ppm hard water and 5% soil on hard, non-porous surfaces: *Enterobacter cloacae*, *Escherichia coli*, *Escherichia coli* O157:H7, *Enterococcus faecalis*, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Proteus vulgaris*, *Pseudomonas aeruginosa*, *Pseudomonas aeruginosa* (Tetracycline Resistant), *Pseudomonas cepacia*, *Salmonella enterica*, *Shigella flexneri*, *Staphylococcus aureus*, *Staphylococcus aureus* (Community Associated Methicillin Resistant) (CA-MRSA), *Staphylococcus aureus* (Methicillin Resistant) (MRSA), *Staphylococcus epidermidis* (Ampicillin, Cefazolin, Oxacillin, Penicillin Resistant), *Streptococcus pneumoniae* (Penicillin Resistant), *Streptococcus pyogenes*, *Enterococcus faecalis* (Vancomycin Resistant) (VRE), *Staphylococcus aureus* (Vancomycin Intermediate Resistant) (VISA), *Yersinia enterocolitica*.

**VIRUCIDAL\* PERFORMANCE:** This product kills the following viruses in 10 minutes at 2 oz. per gal. of 400 ppm hard water and 5% soil on hard, non-porous surfaces: Avian Influenza A (H5N1) Virus, Avian Influenza A (H3N2) Virus, Coronavirus (SARS-associated), Hepatitis B Virus, Hepatitis C Virus, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, Human Coronavirus, Human Immunodeficiency Virus Type 1\*\*\* (HIV 1), Influenza A (H1N1) Virus, Respiratory Syncytial Virus, SARS-CoV-2\*\*\* (COVID-19 virus).

\*\*\*Indicates a 2-minute contact time is required for this claim.

**FUNGICIDAL PERFORMANCE:** This product kills the following fungi in 10 minutes at 2 oz. per gal. of 400 ppm hard water and 5% soil on hard, non-porous surfaces: *Candida albicans*, *Trichophyton interdigitale* (formerly *T. mentagrophytes*) (Athlete's foot fungus) (Ringworm fungus).

**MILDEWSTATIC PERFORMANCE:** This product controls the following mold at 2 oz. per gal. of 400 ppm hard water and 5% soil on hard, non-porous surfaces for up to 7 days: *Aspergillus niger*.

## DISINFECTANT, MILDEWSTAT, FUNGICIDE, VIRUCIDE\*

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Rinse hard, non-porous food contact surfaces with potable water after application of product. Before using this product, food products and packaging materials must be removed from the room or carefully protected.

This product is not for use on medical device surfaces.

**HOSPITAL/HEALTH CARE/MEDICAL/NON-MEDICAL FOR USE AS A ONE-STEP, GENERAL, HOSPITAL DISINFECTANT, FUNGICIDE, VIRUCIDE\*, CLEANER:**

1. Pre-clean visibly soiled areas. 2. Apply use solution of 2 oz. of this product per gal. of water to disinfect hard, non-porous, non-food contact surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfaces to remain visibly wet for 10 minutes and flush. 3. Treated surfaces must remain visibly wet for 2 minutes to kill SARS-CoV-2 or for 10 minutes to kill all organisms listed on the label. 4. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty.

**\*KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**Personal Protection:** Wear protective latex gloves, gowns, masks and eye protection.

**Cleaning Procedure:** Blood and other body fluids containing HIV-1, HBV & HCV must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product.

**Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**Contact Time:** Allow hard, non-porous surfaces to remain visibly wet for 2 minutes to kill HIV and 10 minutes for all organisms listed on the label.

**TO CONTROL MOLD/MILDEW:** Pre-clean visibly soiled areas. Prepare use solution by adding 2 oz. of this product per gal. of water. Apply use solution to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

#### RESTROOM/BATHROOM

##### NON-ACID TOILET BOWL AND URINAL DISINFECTANT DIRECTIONS

Remove visible soil prior to disinfection. **From a Concentrate:** Add 2 oz. of this product directly into the water in the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a toilet brush, cloth, or sponge. Allow surfaces to remain visibly wet for 10 minutes and flush. **From a Use Solution:** Empty water out of toilet bowl or urinal and apply use-solution prepared by adding 2 oz. of this product per gal. of water to exposed surfaces, including under the rim with a toilet brush, cloth, or sponge, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfaces to remain visibly wet for 10 minutes and flush.

**FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS, AND OTHER LARGE, OPEN AREAS WITH FLOOR DRAINS.**

1. Pre-clean visibly soiled areas. 2. Apply use solution of 2 oz. of this product per gal. of water (or equivalent use dilution) to floors, walls and ceilings making sure not to over spray. To disinfect, all hard, non-porous surfaces must remain visibly wet for 10 minutes. 3. Scrub using a deck brush or other coarse material as necessary. 4. Rinse surfaces thoroughly and let air dry. 5. Prepare a fresh solution daily or when visibly dirty. **GENERAL DEODORIZATION:** To deodorize, apply 2 - 4 oz. of this product per gal. of water to hard, non-porous surfaces. Rinse or allow to air dry. Rinse with potable water after use on surfaces that come in contact with food.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

(K-22)



EPA Reg. No. 10324-154-12120  
EPA Est. No. 8325-PA-01

Product No. 13025

Manufactured for:



98 Spit Brook Road, Suite 104, Nashua, NH 03062

APPROVED

By Jenn Bakes at 12:36 pm, Aug 29, 2023