PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates.

FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES: This product kills the following bacteria in 10 minutes at 2 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: *Enterobacter aerogenes, Enterococcus faecalis, Escherichia coli, Escherichia coli* O157:H7, *Enterococcus faecium* Vancomycin Resistant (VRE), *Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, Staphylococcus aureus* Methicillin Resistant (MRSA), *Staphylococcus aureus* (Community Associated Methicillin Resistant) (CA-MRSA), *Staphylococcus aureus* (VISA) Vancomycin Intermediate Resistant.
VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus, Herpes Simplex Virus Type 1, Human Coronavirus, Influenza A2/Japan Virus, Norovirus (Norwalk-like Virus) (Feline Calicivirus).
FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 2 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: *Trichophyton mentagrophytes* (Athlete's foot fungus) (a cause of Ringworm).
MILDEWSTATIC PERFORMANCE: This product controls the following mold in 10 minutes at 2 oz. per gal. of water (700 ppm active) on hard, non-porous surfaces: *Aspergillus niger*.
This product is for use on hard, non-porous surfaces in: hospitals, nursing homes, medical and dental offices and clinics, elder care centers, institutional facilities, businesses and office buildings, hotels and motels, schools, colleges, churches, universities, athletic facilities, exercise rooms, and gyms.
This product can be used on washable hard, non-porous surfaces such as: floors, walls, fixtures, enameled surfaces, painted/finished woodwork, Formica®, vinyl and plastic upholstery, washable wallpaper, tables, chairs, desks, cabinets, doorknobs and garbage cans/pails.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
This product is not for use on medical device surfaces.
FOR USE AS A ONE-STEP, GENERAL, HOSPITAL DISINFECTANT, FUNGICIDE, VIRUCIDE*, CLEANER:
1. Pre-clean heavily soiled areas.
2. Apply use solution of 2 oz. of this product per gal. of water to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, hand pump, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
3. Treated surfaces must remain wet for 10 minutes.
4. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.
5. Prepare a fresh solution daily or when visibly dirty.

TO CONTROL MOLD/MILDEW: To control mold and mildew (*Aspergillus niger*) and the odors caused by them when applied to hard, non-porous surfaces. Pre-clean heavily soiled areas. Prepare use solution by adding 2 oz. of this product per gal. of water (or equivalent dilution). Apply use solution to pre-cleaned hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.
GENERAL DEODORIZATION: To deodorize, apply 2 to 4 oz. of this product per gal. of water to hard, non-porous surfaces. Wipe up excess liquid with a paper towel or allow to air dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Wrap empty container and put in trash or offer for recycling.

(J14)

Product No.
48324

7 83218 48324 6

Manufactured for:
TRIPLE S
2 EXECUTIVE PARK DRIVE,
BILLERICA, MA 01862

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.
ENVIRONMENTAL HAZARDS
This product is toxic to fish and aquatic invertebrates.
FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES: This product kills the following bacteria in 10 minutes at 2 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Enterobacter aerogenes, Enterococcus faecalis, Escherichia coli, Escherichia coli O157:H7, Enterococcus faecium Vancomycin Resistant (VRE), Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, Staphylococcus aureus Methicillin Resistant (MRSA), Staphylococcus aureus (Community Associated Methicillin Resistant) (CA-MRSA), Staphylococcus aureus (VISA) Vancomycin Intermediate Resistant.
VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus, Herpes Simplex Virus Type 1, Human Coronavirus, Influenza A2/Japan Virus, Norovirus (Norwalk-like Virus) (Feline Calicivirus).
FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 2 oz. per gal. of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Trichophyton mentagrophytes (Athlete's foot fungus) (a cause of Ringworm).
MILDEWSTATIC PERFORMANCE: This product controls the following mold in 10 minutes at 2 oz. per gal. of water (700 ppm active) on hard, non-porous surfaces: Aspergillus niger.
This product is for use on hard, non-porous surfaces in: hospitals, nursing homes, medical and dental offices and clinics, elder care centers, institutional facilities, businesses and office buildings, hotels and motels, schools, colleges, churches, universities, athletic facilities, exercise rooms, and gyms.
This product can be used on washable hard, non-porous surfaces such as: floors, walls, fixtures, enameled surfaces, painted/finished woodwork, Formica®, vinyl and plastic upholstery, washable wallpaper, tables, chairs, desks, cabinets, doorknobs and garbage cans/pails.
DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
This product is not for use on medical device surfaces.
FOR USE AS A ONE-STEP, GENERAL, HOSPITAL DISINFECTANT, FUNGICIDE, VIRUCIDE*, CLEANER:
1. Pre-clean heavily soiled areas.
2. Apply use solution of 2 oz. of this product per gal. of water to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, hand pump, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
3. Treated surfaces must remain wet for 10 minutes.
4. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.
5. Prepare a fresh solution daily or when visibly dirty.
TO CONTROL MOLD/MILDEW: To control mold and mildew (Aspergillus niger) and the odors caused by them when applied to hard, non-porous surfaces. Pre-clean heavily soiled areas. Prepare use solution by adding 2 oz. of this product per gal. of water (or equivalent dilution). Apply use solution to pre-cleaned hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.
GENERAL DEODORIZATION: To deodorize, apply 2 to 4 oz. of this product per gal. of water to hard, non-porous surfaces. Wipe up excess liquid with a paper towel or allow to air dry.
STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Wrap empty container and put in trash or offer for recycling.
(J14)
Product No.
48324
7 83218 48324 6
Manufactured for:
TRIPLE S
2 EXECUTIVE PARK DRIVE,
BILLERICA, MA 01862

TRIPLE S

NAVIGATOR
Dilution Control System

ACTIVE INGREDIENTS:
Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl Benzyl Ammonium Chloride 2.25%
Alkyl (68% C12, 32% C14)
Dimethyl Ethylbenzyl Ammonium Chloride 2.25%
OTHER INGREDIENTS: 95.50%
TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN
See back panel of label for additional precautionary statements and first aid.
DANGER PELIGRO
E.P.A. Reg. No. 10324-59-12120
E.P.A. Est. No. 8325-PA-01

FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

64
FAST BREAK
CONCENTRATE
NON-ACID DISINFECTANT BATHROOM CLEANER

NET CONTENTS: 3 Liters (101.4 ounces)

TRIPLE S
NAVIGATOR
Dilution Control System
ACTIVE INGREDIENTS:
Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl Benzyl Ammonium Chloride 2.25%
Alkyl (68% C12, 32% C14)
Dimethyl Ethylbenzyl Ammonium Chloride 2.25%
OTHER INGREDIENTS: 95.50%
TOTAL: 100.00%
KEEP OUT OF REACH OF CHILDREN
See back panel of label for additional precautionary statements and first aid.
DANGER PELIGRO
E.P.A. Reg. No. 10324-59-12120
E.P.A. Est. No. 8325-PA-01
FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
64
FAST BREAK
CONCENTRATE
NON-ACID DISINFECTANT BATHROOM CLEANER
NET CONTENTS: 3 Liters (101.4 ounces)